Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8882	management adj2 software	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 15:52
S2	4	restor$5 adj2 management adj2 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 15:53
S3	104881	information adj2 processing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 15:55
S4	8943	S1 @pd<"05152000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 15:56
S5	1016	S1 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 16:00
S6	0	S5 and @pd<"05152000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 15:56
S8	628	(message adj processor) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:20
S9	44	(messaging adj operations) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:20
S10	13	S8 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:23
S11	6	(source adj identifer) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:21

S12	8	(message with appending adj information) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:27
S13	0	(electronic adj message with appending adj information) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:28
S14	0	(electronic adj message same appending adj information) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:28
S15	0	(electronic adj message near appending adj information) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:29
S16	0	(appending adj information adj2 electronic adj2 message) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:29
S17	744	(electronic adj message) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:30
S18	57	(appending adj information) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:31
S19	0	S17 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:31
S20	450	(source adj identifier) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:32
S21	2	S17 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:34

S22	0	S17 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:36
S23	5339	(electronic adj2 data) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:39
S24	7	S18 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:54
S25	1422	(source adj node) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:55
S26	25	S23 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 15:55
S27	1	(appending adj information adj message) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/15 09:21
S28	8	(message with appending adj information) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/15 09:31
S29	450	(source adj identifier) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/15 09:22
S30	24	(message with source adj identifier) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/15 09:30
S31	1	(message near source adj identifier) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/15 09:30

S32	0	(message near appending adj information) and @rlad<"20000514"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/15 09:31